

DICOPHAR

DICOPHAR

DICOPHAR



HERBICIDE FOR BROAD-LEAVED WEEDS IN LAWNS,
SPORTS TURF AND AMENITY GRASS



Contains 70 g/l 2,4-D, 70 g/l MCPA, 42 g/l MCPP-P and 20 g/l dicamba in a soluble concentrate (SL).

FOR USE ONLY AS A HORTICULTURAL/AMENITY HERBICIDE

Net contents: 5 litres e

Risk & Safety Information

Warning

Causes serious eye irritation.
Very toxic to aquatic life with long lasting effects

Keep out of reach of children.
Wear protective gloves, eye protection, protective clothing.
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

Contains 2,4-D DMA salt. May produce an allergic reaction

To avoid risks to human health and the environment, comply with the instructions for use. PCS no. 02297

STORE IN A COOL DRY PLACE PROTECT FROM FROST

FOR USE ONLY AS AN AGRICULTURAL/HORTICULTURAL HERBICIDE.

Situations:	managed amenity turf and amenity grassland
Maximum individual dose:	10 litres product/ha
Maximum number of treatments:	1 per year
latest time of application:	end of September in the year of treatment

READ ALL OTHER SAFETY PRECAUTIONS AND DIRECTIONS FOR USE BEFORE USE

Agriphar S.A.
Rue de Renory 26/1
B-4102 Ougrée
Belgium
www.agriphar.com



24 Hour emergency telephone no. +44(0)1235 239670

Batch number: see packaging

Manufacturing date: see packaging

Expiry date: 2 years after manufacturing date

PRODUCT LIABILITY

As Agriphar S.A. cannot have full control over the circumstances surrounding the use of their products, they cannot reasonably accept liability for each and every eventuality. Agriphar S.A. will not accept any liability for loss or damage arising from mis-application. **Dicophar** must be used in accordance with the label on the pack in which it is delivered.

DIRECTIONS FOR USE

DICOPHAR kills most broad-leaved weeds, such as clover, buttercup, thistles, common dandelion, daisies, groundsel, ragwort, plantains, docks, knotgrass, mint, chickweed, bitter-cress, cat's-ear, lesser trefoil, yarrow, pearlwort, cleavers etc., in lawns, sports turf and amenity grass.

Do not apply Dicophar in meadows as clovers in the grass sward will be killed.

APPLICATION PERIOD

Dicophar may be applied to established lawns, sports turf or amenity grass once a year during the vegetative period of the weeds (normally from April to end-September). Do not treat newly-sown lawns before the tillering stage or within 6 months of their establishment.

DOSE AND METHOD OF APPLICATION

Apply **Dicophar** at 10 l/ha in 300-500 l water with a sprayer or 100 ml in 10 litres water per 100 m² with a knapsack sprayer as a MEDIUM/COARSE spray (BCPC).
Avoid spray drift to neighbouring crops. Do not apply **Dicophar** through a mist blower or similar equipment.

APPLICATION AND MOWING

Apply **Dicophar** at least 5 days after the last mowing. Wait at least 7 days after application before mowing.
Certain difficult-to-control broad-leaved weeds must have sufficient leaf area to be controlled successfully. Avoid close (short) mowing immediately before an application.

WEATHER

Best results are achieved when the weeds are growing actively in moist soil during warm weather.
Avoid treatment during dry periods or when rain is expected within 24 hours of application.

CLEANING THE SPRAYER

Immediately after use wash the sprayer thoroughly, both inside and outside, with a suitable cleaning agent such as a solution of 1% ammonia or 1% sodium carbonate.

CAUTIONS

Store Dicophar in a well-ventilated place away from fertilisers, other plant protection products, seeds, bulbs and plants; vapours of this product could cause damage to sensitive plants.

Treated grass or mowings must not be fed to livestock.

Do not contaminate water with the product or its container. Do not clean application equipment near surface water / Avoid contamination via drains from farmyards and roads.